



EXCEL CABIN SDN. BHD. (410643-W)

Office & Factory: Lot 2470, Jalan Selathevan, Seksyen 36,
40470 Shah Alam, Selangor Darul Ehsan. GST No.: 000317300736
Tel: 03-5161 8821, 5162 5109 Fax: 03-5161 8820
URL: <http://www.excelcabin.com> E-mail: sales@excelcabin.com

SPECIFICATION OF PORTABLE CABIN

- MAIN STRUCTURE** : CONSTRUCTED WITH ALL STEEL SECTIONS DESIGNED TO BE TOP-HOISTING WITH PRIMER COATING
- BASE KID** : IS FULLY WELDED WITH STEEL RECTANGULAR HOLLOW SECTION 1 1/2" X 2 1/2" AND 1 1/2" X 3" AND PRIMER COATING
- COLUMN & BEAM** : STEEL SQUARE HOLLOW SECTION 2" X 2" WITH PRIME COATING
- FLOOR** : IS MADE OF 12MM PLYWOOD REINFORCED WITH 2" X 3" HARDWOOD TIMBER AT 16" INTERVAL AND TOP FINISHED WITH VINYL SHEET
- ROOF** : IS COVERED WITH HIGH TENSILE CORRUGATED METAL SHEETS REINFORCED BY 2" X 3" HARDWOOD TIMBER AND 2" X 2" HARDWOOD TIMBER
- WALL** : EXTERNAL CLADDING IS FIXED WITH 0.23MM HIGH TENSILE CORRUGATED METAL DECK SHEET, REINFORCED WITH HARDWOOD BRACING 2" X 2"
- INTERNAL FINISH IS LAID WITH FIRST GRADE LAMINATED PLYWOOD 3.0MM THK WITH TIMBER BEADING AND SKIRTING
- DOOR** : STANDARD 33"(W) X 82"(H) PLYWOOD DOOR COMPLETED WITH QUALITY CYLINDRICAL LOCKSET
- WINDOW** : NACO ADJUSTABLE GLASS LOUVER WINDOW 2'(W) X 3'(H) COMPLETED WITH SECURITY BARS
- ELECTRICAL** : IS COMPLETED WITH 4'0" FLUORESCENT TUBE LIGHTING AND WIRING, SWITCH POINT, 13A PLUG POINT, 15A WIRING FOR AIR-CONDITIONER, DB BOARD C/W MAIN SWITCH & MCB AND INCOMING BOX

SIZE OF STD. CABIN	PLYWOOD DOOR	NACO WINDOW	4' LIGHT TUBE	13A PLUG POINT	AIR-COND. WIRING	SWITCH POINT	BASE FOOTING
20' x 10' x 8 1/2'	1	2	2	1	1	1	6
30' x 10' x 8 1/2'	1	3	3	2	2	1	6
40' x 10' x 8 1/2'	2	4	4	3	2	2	8